# SAFETY DATA SHEET



## 1. Identification

Product identifier Homestretch Ultra

Other means of identification

Product code 29013MER

Recommended use Agricultural/ Horticultural Use- Micronutrient Fertilizer- Refer to product label.

Recommended restrictions Refer to product label.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Meristem Crop Performance

Address 489 Village Park Dr.,

Powell, OH 43065

United States

Telephone 1-833-637-4783
Website uwww.meristemag.com

**E-mail** MDEviston@MeristemAg.com

Emergency phone number 651-270-8282

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

Reproductive toxicity Category 2
Specific target organ toxicity, repeated Category 2

exposure

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause

damage to organs through prolonged or repeated exposure.

Precautionary statement

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe mist/vapors. Wash thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If eye

irritation persists: Get medical advice/attention.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

## 3. Composition/information on ingredients

**Mixtures** 

Material name: Homestretch Ultra SDS US

Chemical name	Common name and synonyms	CAS number	%
Boric acid (H3BO3) reaction products with ethanolamine		94095-04-2	5 - < 10*
Manganese Sulfate, monohydrate		10034-96-5	5 - < 10*
Urea		57-13-6	5 - < 10*
Zinc Sulfate, Monohydrate		7446-19-7	5 - < 10*
Other components below reportable	levels		70 - < 80

### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

**General information** 

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

# 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

Material name: Homestretch Ultra

### 7. Handling and storage

Obtain special instructions before use. Do not handle until all safety precautions have been read Precautions for safe handling

and understood. Do not breathe mist/vapors. Avoid contact with eyes. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage,

including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see

Section 10 of the SDS).

Store in secured area away from children, feed, and other food products. Store in original container. Store in a well-ventilated area. Storage temperature: 40 F to 100 F.

# 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	
Manganese Sulfate, monohydrate (CAS 10034-96-5)	Ceiling	5 mg/m3	
US. ACGIH Threshold Limit Values	Typo	Valuo	Form

Components	Type	Value	Form	
Manganese Sulfate, monohydrate (CAS 10034-96-5)	TWA	0.1 mg/m3	Inhalable fraction.	_
		0.02 mg/m3	Respirable fraction.	

US. NIOSH: Pocket Guide to Chemical Hazards Components Type

Manganese Sulfate,	STEL	3 mg/m3	Fume.
monohydrate (CAS			
10034-96-5)			

TWA	1	mg/m3	Fume.

US. Workplace Environmental Exposure Level (WEEL) Guides					
Components	Туре	Value	Form		
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.		

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Value

### Individual protection measures, such as personal protective equipment

Chemical respirator with organic vapor cartridge and full facepiece. Eye/face protection

Skin protection

Wear appropriate chemical resistant gloves. Hand protection

Other Wear suitable protective clothing. Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

**Physical state** Liquid.

Material name: Homestretch Ultra SDS US 3/9 29013MER Version #: 11 Revision date: 08-11-2021 Issue date: 12-10-2018

**Form** 

**Form** Liquid.

Not available. Color Odor Not available. **Odor threshold** Not available. 6 - 8 (typical) pН Melting point/freezing point Not available.

Initial boiling point and boiling

range

Not available.

Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

0.00001 hPa estimated Vapor pressure

Not available. Vapor density

Relative density 1.27 g/cm3 (typical)

Solubility(ies)

Not available. Solubility (water) Not available. **Partition coefficient** 

(n-octanol/water)

**Auto-ignition temperature** Not available. Not available. **Decomposition temperature** Not available. **Viscosity** 

Other information

Not explosive. **Explosive properties** Not oxidizing. Oxidizing properties

Percent volatile 37 %

Pounds per gallon 10.6 lb/gal (typical)

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

Conditions to avoid

reactions

Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Knowledge about health hazard is incomplete. Skin contact

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

Material name: Homestretch Ultra  Information on toxicological effects

Acute toxicity Not known.

**Product Test Results Species** 

Homestretch Ultra

Acute Dermal

LD50 Rat 34310 mg/kg

Inhalation

LD50 Rat 1485 mg/l, 4 hours

Oral

LD50 Rat 7799 mg/kg Components **Species Test Results** 

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Acute Oral

LD50 Rat 2150 mg/kg

Urea (CAS 57-13-6)

Acute Oral

LD50 Rat 8471 mg/kg

Zinc Sulfate, Monohydrate (CAS 7446-19-7)

Acute

**Dermal** 

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat 623 mg/kg

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible. Skin sensitization Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

Specific target organ toxicity -

single exposure

repeated exposure

Due to partial or complete lack of data the classification is not possible.

May cause damage to organs through prolonged or repeated exposure.

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard** 

Prolonged inhalation may be harmful. May cause damage to organs through prolonged or **Chronic effects** 

repeated exposure.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

5/9

Material name: Homestretch Ultra SDS US 

Product		Species	Test Results
Homestretch Ultra			
Aquatic			
Crustacea	EC50	Daphnia	104.8727 mg/l, 48 hours estimated
Fish	LC50	Fish	193.5761 mg/l, 96 hours estimated
Components		Species	Test Results
Manganese Sulfate, monohy	drate (CAS 1	0034-96-5)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia obtusa)	30.8 - 44.1 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	36.9 mg/l, 96 hours
			29.7 - 52.7 mg/l, 192 hours
Urea (CAS 57-13-6)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours
Fish	LC50	Carp (Leuciscus idus melanotus)	> 10000 mg/l, 48 hours
		Guppy (Poecilia reticulata)	16200 - 18300 mg/l, 96 hours
		Harlequinfish, red rasbora (Rasbora heteromorpha)	12000 mg/l, 96 hours
		Mozambique tilapia (Tilapia mossambica)	590 - 730 mg/l, 96 hours
Zinc Sulfate, Monohydrate (0	CAS 7446-19-	7)	
Aquatic			
Crustacea	EC50	Rotifer (Philodina acuticornis)	0.3 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.162 mg/l, 96 hours
sistence and degradability	No data is	available on the degradability of any ingredier	nts in the mixture.
accumulative potential			
Partition coefficient n-octa Urea	nol / water (I	og Kow) -2.11	
pility in soil	No data available.		
er adverse effects		dverse environmental effects (e.g. ozone deplendocrine disruption, global warming potential)	
Disposal consideration	•		
oosal instructions		d reclaim or dispose in scaled containers at lie	ensed waste disposal site. Disposa
Josai ilisti uctiviis	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		

### 13.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

UN3082 **UN** number

**UN** proper shipping name Environmentally hazardous substances, liquid, n.o.s. (Zinc Sulfate, Monohydrate RQ = 17513

LBS), MARINE POLLUTANT

Transport hazard class(es)

Class 9 Subsidiary risk 9 Label(s)

Material name: Homestretch Ultra SDS US **Packing group** Ш

**Environmental hazards** 

Yes Marine pollutant

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

8, 146, 335, IB3, T4, TP1, TP29 Special provisions

Packaging exceptions 155 Packaging non bulk 203 Packaging bulk 241

DOT Regulated Marine Pollutant. Not DOT regulated in domestic (USA ground) transportation in package sizes less than 17513 lbs (1626 gallons); 7944 kg (6155 liters).

The DOT transportation information above is for shipments with package sizes equal to or exceeding this value.

DOT Shipping Notes: 40 CFR 172.504(f)(9) For Class 9, a CLASS 9 placard is not required for domestic (USA ground) transportation, however shipments with packaging exceeding the Reportable Quantity (RQ) or bulk packaging must be marked with the appropriate identification number on a CLASS 9 placard, an orange panel, or a white square-on-point display configuration as required. Since the Class 9 placard is not required (although it may be used) the hazardous material endorsement is also not required on a Commercial Drivers License.


#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

#### DOT



#### Marine pollutant



### **General information**

DOT Regulated Marine Pollutant, Not DOT regulated in domestic (USA ground) transportation in package sizes less than 17513 lbs (1626 gallons); 7944 kg (6155 liters).

The DOT transportation information above is for shipments with package sizes equal to or exceeding this value.

# 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Manganese Sulfate, monohydrate (CAS 10034-96-5) Listed.

Material name: Homestretch Ultra SDS US

## SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard Serious eye damage or eye irritation

categories Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

## SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Manganese Sulfate, monohydrate	10034-96-5	5 - < 10	
Zinc Sulfate, Monohydrate	7446-19-7	5 - < 10	

### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Sulfate, monohydrate (CAS 10034-96-5)

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

### **US state regulations**

### **California Proposition 65**

WARNING: This product can expose you to chemicals including arsenic, cadmium, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

 Issue date
 12-10-2018

 Revision date
 08-11-2021

Version # 11

Material name: Homestretch Ultra SDS US

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of the Product to determine suitability of the Product for user's particular use.

**Revision information** 

Product and Company Identification: Alternate Trade Names